The Plant Journal (2000) **22**(6), 571–574

Author index

Adam, E. *see* Gil, P.
Adam, E. *see* Kim, L.
Alex, D., Bach, T.-J. and Chye, M.-L. Expression of *Brassica juncea* 3-hydroxy-3-methylglutaryl CoA synthase is developmentally regulated and stress-responsive 415
Alia *see* Sakamoto, A.
An, G. *see* Jeon, J.-S.
An, K. *see* Jeon, J.-S.
Anandalakshmi, R. *see* Marathe, R.

Bach, T.-J. *see* Alex, D.
Bao, X., Focke, M., Pollard, M. and Ohlrogge, J. Understanding *in vivo* carbon precursor supply for fatty acid synthesis in leaf tissue 39
Bartels, D. *see* Munnik, T.
Belostotsky, D.A. *see* Palanivelu, R.
Beynon, J. *see* McDowell, J.M.
Bharti, K., Schmidt, E., Lyck, R., Heerklotz, D., Bublak, D. and Scharf, K.-D. Isolation and characterization of HsfA3, a new heat stress transcription factor of *Lycopersicon peruvianum* 355
Bird, D.M. *see* Koltai, H.
Blaylock, L.A. *see* Trieu, A.T.
Bock, R. *see* Drescher, A.
Boisnard-Lorig, C. *see* Ingram, G.-C.
Boronat, A. *see* Lois, L.M.
Bou, J. *see* Carrera, E.
Bousquet, U. *see* Kurkdjian, A.
Bouteau, F. *see* Kurkdjian, A.
Bowen, B. *see* Sidorenko, L.V.
Bowman, L.H. *see* Marathe, R.
Boyko, V., Ferralli, J. and Heinlein, M. Cell-to-cell movement of TMV RNA is temperature-dependent and corresponds to the association of movement protein with microtubules 315
Bressan, R.A. *see* Coca, M.A.
Brown, D. *see* Wu, K.
Brunner, A.M. *see* Rottmann, W.H.
Brunold, C. *see* Harms, K.
Bublak, D. *see* Bharti, K.
Burleigh, S.H. *see* Trieu, A.T.
Bury, E. *see* Gil, P.

Calsa Jr, T. *see* Drescher, A.
Campos, F. *see* García-Gómez, B.I.
Campos, N. *see* Lois, L.M.
Can, C. *see* McDowell, J.M.
Carrer, H. *see* Drescher, A.
Carrera, E., Bou, J., García-Martínez, J.L. and Prat, S. Changes in GA 20-oxidase gene expression strongly affect stem length, tuber induction and tuber yield of potato plants 247
Cha, S.-S. *see* Jeon, J.-S.
Chague, V. *see* Meissner, R.
Chapple, C. *see* Franke, R.
Chen, M., Choi, Y.D., Voytas, D.F. and Rodermel, S. Mutations in the Arabidopsis *VAR2* locus cause leaf variegation due to the loss of a chloroplast FtsH protease 303
Chen, N. *see* Sakamoto, A.
Cheng, S. *see* Rottmann, W.H.
Cheung, A.Y. *see* Wu, H.-m.
Chiang, V.L. *see* Wu, L.
Chiou, T.-J. *see* Trieu, A.T.
Cho, S.-Y. *see* Jeon, J.-S.
Choi, H.-S. *see* Jeon, J.-S.
Choi, J.-H. *see* Jeon, J.-S.
Choi, Y.D. *see* Chen, M.
Choisne, N. *see* Yukawa, Y.
Chopra, S. *see* Sidorenko, L.V.
Chye, M.-L. *see* Alex, D.
Coca, M.A., Damsz, B., Yun, D.-J., Hasegawa, P.M., Bressan, R.A. and Narasimhan, M.L. Heterotrimeric G-proteins of a filamentous fungus regulate cell wall composition and susceptibility to a plant PR-5 protein 61
Cocciolone, S.M. *see* Sidorenko, L.V.
Convert, M. *see* Kurkdjian, A.
Cornel, D. *see* Kurkdjian, A.
Covarrubias, A.A. *see* García-Gómez, B.I.
Cusumano, J.C. *see* Franke, R.
Cuzick, A. *see* McDowell, J.M.

Damsz, B. *see* Coca, M.A.
Dangl, J.L. *see* McDowell, J.M.
Daniels, M. *see* Sidorenko, L.V.
Dewbre, G.R. *see* Trieu, A.T.
Drescher, A., Ruf, S., Calsa Jr, T., Carrer, H. and Bock, R. The two largest chloroplast genome-encoded open reading frames of higher plants are essential genes 97
Dumas, C. *see* Ingram, G.-C.

Ebinuma, H. *see* Kawaoka, A.
Ebinuma, H. *see* Sugita, K.
Elkind, Y. *see* Meissner, R.
Ellis, B.E. *see* Samuel, M.A.
Elzenga, J.T.M., Staal, M. and Prins, H.B.A. Modulation by phytochrome of the blue light-induced extracellular acidification by leaf epidermal cells of pea (*Pisum sativum* L.): a kinetic analysis 377
Emmanuel, E. *see* Meissner, R.
Endo, S. *see* Kawaoka, A.

Fagard, M. *see* Marathe, R.
Farràs, R. *see* Ferrando, A.
Ferralli, J. *see* Boyko, V.
Ferrando, A., Farràs, R., Jásik, J., Schell, J. and Koncz, C. Intron-tagged epitope: a tool for facile detection and purification of proteins expressed in *Agrobacterium*-transformed plant cells 553
Focke, M. *see* Bao, X.
Frank, W. *see* Munnik, T.
Franke, R., McMichael, C.M., Meyer, K., Shirley, A.M., Cusumano, J.C. and Chapple, C. Modified lignin in tobacco and poplar plants over-expressing the *Arabidopsis* gene encoding ferulate 5-hydroxylase 223

Gallego, F. *see* Lois, L.M.
García-Gómez, B.I., Campos, F., Hernández, M. and Covarrubias, A.A. Two bean cell wall proteins more abundant during water deficit are high in proline and interact with a plasma membrane protein 277
García-Martínez, J.L. *see* Carrera, E.
Gidley, M.J. *see* McCartney, L.
Gidley, M.J. *see* Whitney, S.E.C.

© 2000 Blackwell Science Ltd

Gil, P., Kircher, S., Adam, E., Bury, E., Kozma-Bognar, L., Schäfer, E. and Nagy, F. Photocontrol of subcellular partitioning of phytochrome-B:GFP fusion protein in tobacco seedlings 135
Godt, D.E. *see* Goetz, M.
Goetz, M., Godt, D.E. and Roitsch, T. Tissue-specific induction of the mRNA for an extracellular invertase isoenzyme of tomato by brassinosteroids suggests a role for steroid hormones in assimilate partitioning 515
Grimm, B. *see* Papenbrock, J.
Guan, L.M., Zhao, J. and Scandalios, J.G. *Cis*-elements and *trans*-factors that regulate expression of the maize *Cat1* antioxidant gene in response to ABA and osmotic stress: H_2O_2 is the likely intermediary signaling molecule for the response 87

Han, M.-J. *see* Jeon, J.-S.
Harms, K., von Ballmoos, P., Brunold, C., Höfgen, R. and Hesse, H. Expression of a bacterial serine acetyltransferase in transgenic potato plants leads to increased levels of cysteine and glutathione 335
Harrison, M.J. *see* Trieu, A.T.
Hasegawa, P.M. *see* Coca, M.A.
Heerklotz, D. *see* Bharti, K.
Heinlein, M. *see* Boyko, V.
Hernández, M. *see* García-Gómez, B.I.
Hesse, H. *see* Harms, K.
Hirt, H. *see* Munnik, T.
Höfgen, R. *see* Harms, K.
Holub, E.B. *see* McDowell, J.M.
Honda, C. *see* Nomura, M.

Ingram, G.-C., Boisnard-Lorig, C., Dumas, C. and Rogowsky, P.-M. Expression patterns of genes encoding HD-ZipIV homeo domain proteins define specific domains in maize embryos and meristems 401
Ishida, Y. *see* Nomura, M.
Ito, T., Kim, G.-T. and Shinozaki, K. Disruption of an *Arabidopsis* cytoplasmic ribosomal protein S13-homologous gene by transposon-mediated mutagenesis causes aberrant growth and development 257
Izawa, T., Oikawa, T., Tokutomi, S., Okuno, K. and Shimamoto, K. Phytochromes confer the photoperiodic control of flowering in rice (a short-day plant) 391

Jang, S. *see* Jeon, J.-S.
Jásik, J. *see* Ferrando, A.
Jensen, A.B. *see* Raventos, D.
Jeon, J.-S., Lee, S., Jung, K.-H., Jun, S.-H., Jeong, D.-H., Lee, J., Kim, C., Jang, S., Lee, S., Yang, K., Nam, J., An, K., Han, M.-J., Sung, R.-J., Choi, H.-S., Yu, J.-H., Choi, J.-H., Cho, S.-Y., Cha, S.-S., Kim, S.-I. and An, G. T-DNA insertional mutagenesis for functional genomics in rice 561
Jeong, D.-H. *see* Jeon, J.-S.
Jingu, F. *see* Matsuhara, S.
Joshi, C.P. *see* Wu, L.
Jouanin, L. *see* Rottmann, W.H.
Jun, S.-H. *see* Jeon, J.-S.
Jung, K.-H. *see* Jeon, J.-S.

Kaku, H. *see* Yokoyama, T.
Kano-Murakami, Y. *see* Nomura, M.
Kaothien, P. *see* Kawaoka, A.
Kardailsky, I.V. *see* Trieu, A.T.
Kasahara, T. *see* Sugita, K.
Katagi, H. *see* Trieu, A.T.
Katagiri, F. *see* Leister, R.T.
Kawaoka, A., Kaothien, P., Yoshida, K., Endo, S., Yamada, K. and Ebinuma, H. Functional analysis of tobacco LIM protein Ntlim1 involved in lignin biosynthesis 289
Kim, C. *see* Jeon, J.-S.
Kim, G.-T. *see* Ito, T.
Kim, L., Kircher, S., Toth, R., Adam, E., Schäfer, E. and Nagy, F. Light-induced nuclear import of phytochrome-A:GFP fusion proteins is differentially regulated in transgenic tobacco and *Arabidopsis* 125
Kim, S.-I. *see* Jeon, J.-S.
Kircher, S. *see* Gil, P.
Kircher, S. *see* Kim, L.
Knox, J.P. *see* McCartney, L.
Kobayashi, N. *see* Yokoyama, T.
Koltai, H. and Bird, D.M. Epistatic repression of *PHANTASTICA* and class 1 *KNOTTED* genes is uncoupled in tomato 455
Komari, T. *see* Nomura, M.
Komeda, Y. *see* Matsuhara, S.
Koncz, C. *see* Ferrando, A.
Kouchi, H. *see* Yokoyama, T.
Kozma-Bognar, L. *see* Gil, P.
Kretsch, T., Poppe, C. and Schäfer, E. A new type of mutation in the plant photoreceptor phytochrome B causes loss of photoreversibility and an extremely enhanced light sensitivity 177
Ku, M.S.B. *see* Nomura, M.
Kurkdjian, A., Bouteau, F., Pennarun, A.-M., Convert, M., Cornel, D., Rona, J.-P. and Bousquet, U. Ion currents involved in early Nod factor response in *Medicago sativa* root hairs: a discontinuous single-electrode voltage-clamp study 9

Lee, J. *see* Jeon, J.-S.
Lee, S. *see* Jeon, J.-S.
Leister, D. *see* Varotto, C.
Leister, R.T. and Katagiri, F. A resistance gene product of the nucleotide binding site—leucine rich repeats class can form a complex with bacterial avirulence proteins *in vivo* 345
Levy, A.A. *see* Meissner, R.
Li, R. *see* Yang, Y.
Li, X. *see* Sidorenko, L.V.
Lin, J.-H. *see* Nomura, M.
Lloyd, A.M. *see* Windsor, J.B.
Lois, L.M., Rodríguez-Concepción, M., Gallego, F., Campos, N. and Boronat, A. Carotenoid biosynthesis during tomato fruit development: regulatory role of 1-deoxy-D-xylulose 5-phosphate synthase 503
Lyck, R. *see* Bharti, K.

Ma, C. *see* Rottmann, W.H.
Maldonado-Mendoza, I.E. *see* Trieu, A.T.
Malik, K. *see* Wu, K.
Marathe, R., Smith, T.H., Anandalakshmi, R., Bowman, L.H., Fagard, M., Mourrain, P., Vaucheret, H. and Vance, V.B. Plant viral suppressors of post-transcriptional silencing do not suppress transcriptional silencing 51
Matsuhara, S., Jingu, F., Takahashi, T. and Komeda, Y. Heat-shock tagging: a simple method for expression and isolation of plant genome DNA flanked by T-DNA insertions 79
Matsunaga, E. *see* Sugita, K.
Matsuoka, M. *see* Nomura, M.
Mattsson, O. *see* Raventos, D.
McCartney, L., Ormerod, A.P., Gidley, M.J. and Knox, J.P. Temporal and spatial regulation of pectic (1→4)-β-D-galactan in

cell walls of developing pea cotyledons: implications for mechanical properties 105
McDowell, J.M., Cuzick, A., Can, C., Beynon, J., Dangl, J.L. and Holub, E.B. Downy mildew (*Peronospora parasitica*) resistance genes in Arabidopsis vary in functional requirements for *NDR1*, *EDS1*, *NPR1* and salicylic acid accumulation 523
McMichael, C.M. *see* Franke, R.
McQueen-Mason, S.J. *see* Whitney, S.E.C.
Meagher, R.B. *see* Palanivelu, R.
Meier, C. *see* Raventos, D.
Meijer, H.J.G. *see* Munnik, T.
Meilan, R. *see* Rottmann, W.H.
Meissner, R., Chague, V., Zhu, Q., Emmanuel, E., Elkind, Y. and Levy, A.A. A high throughput system for transposon tagging and promoter trapping in tomato 265
Mendenhall, J. *see* Windsor, J.B.
Meurer, J. *see* Varotto, C.
Meyer, K. *see* Franke, R.
Miki, B. *see* Wu, K.
Miles, G.P. *see* Samuel, M.A.
Minamisawa, K. *see* Yokoyama, T.
Miyao-Tokutomi, M. *see* Nomura, M.
Mock, H.-P. *see* Papenbrock, J.
Mourrain, P. *see* Marathe, R.
Mundy, J. *see* Raventos, D.
Munnik, T., Meijer, H.J.G., ter Riet, B., Hirt, H., Frank, W., Bartels, D. and Musgrave, A. Hyperosmotic stress stimulates phospholipase D activity and elevates the levels of phosphatidic acid and diacylglycerol pyrophosphate 147
Murata, N. *see* Sakamoto, A.
Musgrave, A. *see* Munnik, T.

Nagy, F. *see* Gil, P.
Nagy, F. *see* Kim, L.
Nam, J. *see* Jeon, J.-S.
Narasimhan, M.L. *see* Coca, M.A.
Nishimura, A. *see* Nomura, M.
Nomura, M., Sentoku, N., Nishimura, A., Lin, J.-H., Honda, C., Taniguchi, M., Ishida, Y., Ohta, S., Komari, T., Miyao-Tokutomi, M., Kano-Murakami, Y., Tajima, S., Ku, M.S.B. and Matsuoka, M. The evolution of C4 plants: acquisition of *cis*-regulatory sequences in the promoter of C4-type pyruvate, orthophosphate dikinase gene 211

Oelmüller, R. *see* Varotto, C.
Ogdahl, J. *see* Wu, H.-m.
Ohlrogge, J. *see* Bao, X.
Ohme-Takagi, M. *see* Ohta, M.
Ohta, M., Ohme-Takagi, M. and Shinshi, H. Three ethylene-responsive transcription factors in tobacco with distinct transactivation functions 29
Ohta, S. *see* Nomura, M.
Oikawa, T. *see* Izawa, T.
Okuno, K. *see* Izawa, T.
Ormerod, A.P. *see* McCartney, L.

Palanivelu, R., Belostotsky, D.A. and Meagher, R.B. *Arabidopsis thaliana* poly (A) binding protein 2 (PAB2) functions in yeast translational and mRNA decay processes 187
Palanivelu, R., Belostotsky, D.A. and Meagher, R.B. Conserved expression of *Arabidopsis thaliana* poly (A) binding protein 2 (PAB2) in distinct vegetative and reproductive tissues 199
Papenbrock, J., Pfündel, E., Mock, H.-P. and Grimm, B. Decreased and increased expression of the subunit CHL I diminishes Mg chelatase activity and reduces chlorophyll synthesis in transgenic tobacco plants 155
Pennarun, A.-M. *see* Kurkdjian, A.
Pesaresi, P. *see* Varotto, C.
Peterson, T. *see* Sidorenko, L.V.
Pfündel, E. *see* Papenbrock, J.
Pilate, G. *see* Rottmann, W.H.
Pollard, M. *see* Bao, X.
Poppe, C. *see* Kretsch, T.
Prat, S. *see* Carrera, E.
Prins, H.B.A. *see* Elzenga, J.T.M.

Qi, M. *see* Yang, Y.

Raventos, D., Meier, C., Mattsson, O., Jensen, A.B. and Mundy, J. Fusion genetic analysis of gibberellin signaling mutants 427
Rodermel, S. *see* Chen, M.
Rodríguez-Concepción, M. *see* Lois, L.M.
Rogowsky, P.-M. *see* Ingram, G.-C.
Roitsch, T. *see* Goetz, M.
Rona, J.-P. *see* Kurkdjian, A.
Rottmann, W.H., Meilan, R., Sheppard, L.A., Brunner, A.M., Skinner, J.S, Ma, C., Cheng, S., Jouanin, L., Pilate, G. and Strauss, S.H. Diverse effects of overexpression of *LEAFY* and *PTLF*, a poplar (*Populus*) homolog of *LEAFY/FLORICAULA*, in transgenic poplar and *Arabidopsis* 235
Ruf, S. *see* Drescher, A.

Sakamoto, A., Valverde, R., Alia, Chen, T.H.H. and Murata, N. Transformation of *Arabidopsis* with the *codA* gene for choline oxidase enhances freezing tolerance of plants 449
Salamini, F. *see* Varotto, C.
Samuel, M.A., Miles, G.P. and Ellis, B.E. Ozone treatment rapidly activates MAP kinase signalling in plants 367
Scandalios, J.G. *see* Guan, L.M.
Schäfer, E. *see* Gil, P.
Schäfer, E. *see* Kim, L.
Schäfer, E. *see* Kretsch, T.
Scharf, K.-D. *see* Bharti, K.
Schell, J. *see* Ferrando, A.
Schmidt, E. *see* Bharti, K.
Sentoku, N. *see* Nomura, M.
Sheppard, L.A. *see* Rottmann, W.H.
Shimamoto, K. *see* Izawa, T.
Shin, H. *see* Trieu, A.T.
Shinozaki, K. *see* Ito, T.
Shinshi, H. *see* Ohta, M.
Shirley, A.M. *see* Franke, R.
Sidorenko, L.V., Li, X., Cocciolone, S.M., Chopra, S., Tagliani, L., Bowen, B., Daniels, M. and Peterson, T. Complex structure of a maize *Myb* gene promoter: functional analysis in transgenic plants 471
Skinner, J.S *see* Rottmann, W.H.
Small, I. *see* Yukawa, Y.
Smith, T.H. *see* Marathe, R.
Sprenger-Haussels, M. and Weisshaar, B. Transactivation properties of parsley proline-rich bZIP transcription factors 1
Staal, M. *see* Elzenga, J.T.M.
Steiner-Lange, S. *see* Varotto, C.
Strauss, S.H. *see* Rottmann, W.H.
Sugita, K., Kasahara, T., Matsunaga, E. and Ebinuma, H. A transformation vector for the production of marker-free transgenic plants containing a single copy transgene at high frequency 461

Sugita, M. *see* Yukawa, Y.
Sugiura, M. *see* Yukawa, Y.
Sung, R.-J. *see* Jeon, J.-S.
Symonds, V.V. *see* Windsor, J.B.

Tagliani, L. *see* Sidorenko, L.V.
Tajima, S. *see* Nomura, M.
Takahashi, T. *see* Matsuhara, S.
Taniguchi, M. *see* Nomura, M.
ter Riet, B. *see* Munnik, T.
Tian, L. *see* Wu, K.
Tokutomi, S. *see* Izawa, T.
Toth, R. *see* Kim, L.
Trieu, A.T., Burleigh, S.H., Kardailsky, I.V., Maldonado-Mendoza, I.E., Versaw, W.K., Blaylock, L.A., Shin, H., Chiou, T.-J., Katagi, H., Dewbre, G.R., Weigel, D. and Harrison, M.J. Transformation of *Medicago truncatula* via infiltration of seedlings or flowering plants with *Agrobacterium* 531
Tsuchiya, K. *see* Yokoyama, T.

Valverde, R. *see* Sakamoto, A.
Vance, V.B. *see* Marathe, R.
Varotto, C., Pesaresi, P., Meurer, J., Oelmüller, R., Steiner-Lange, S., Salamini, F. and Leister, D. Disruption of the *Arabidopsis* photosystem I gene *psaE1* affects photosynthesis and impairs growth 115
Vaucheret, H. *see* Marathe, R.
Versaw, W.K. *see* Trieu, A.T.
von Ballmoos, P. *see* Harms, K.
Voytas, D.F. *see* Chen, M.

Weigel, D. *see* Trieu, A.T.
Weisshaar, B. *see* Sprenger-Haussels, M.
Whitney, S.E.C., Gidley, M.J. and McQueen-Mason, S.J. Probing expansin action using cellulose/hemicellulose composites 327
Windsor, J.B., Symonds, V.V., Mendenhall, J. and Lloyd, A.M. *Arabidopsis* seed coat development: morphological differentiation of the outer integument 483
Wong, E. *see* Wu, H.-m.
Wu, H.-m., Wong, E., Ogdahl, J. and Cheung, A.Y. A pollen tube growth-promoting arabinogalactan protein from *Nicotiana alata* is similar to the tobacco TTS protein 165
Wu, K., Tian, L., Malik, K., Brown, D. and Miki, B. Functional analysis of HD2 histone deacetylase homologues in *Arabidopsis thaliana* 19
Wu, L., Joshi, C.P. and Chiang, V.L. A xylem-specific cellulose synthase gene from aspen (*Populus tremuloides*) is responsive to mechanical stress 495

Yamada, K. *see* Kawaoka, A.
Yang, K. *see* Jeon, J.-S.
Yang, Y., Li, R. and Qi, M. *In vivo* analysis of plant promoters and transcripton factors by agroinfiltration of tobacco leaves 543
Yokoyama, T., Kobayashi, N., Kouchi, H., Minamisawa, K., Kaku, H. and Tsuchiya, K. A lipochito-oligosaccharide, Nod factor, induces transient calcium influx in soybean suspension-cultured cells 71
Yoshida, K. *see* Kawaoka, A.
Yu, J.-H. *see* Jeon, J.-S.
Yukawa, Y., Sugita, M., Choisne, N., Small, I. and Sugiura, M. The TATA motif, the CAA motif and the poly(T) transcription termination motif are all important for transcription re-initiation on plant tRNA genes 439
Yun, D.-J. *see* Coca, M.A.

Zhao, J. *see* Guan, L.M.
Zhu, Q. *see* Meissner, R.

The Plant Journal (2000) **22**(6), 575–577

Subject index

AAA protein 303
ABA 415
abscisic acid 427
Ac transposon 471
acetate 39
Acetobacter 327
acetyl-CoA 39
0-acetyl-L-serine 335
ACGT containing element 1
acidification 377
activation domain 355
Agrobacterium-mediated transformation 553
alfalfa 9
5-aminolevulinic acid synthesis 155
antioxidant 87
Arabidopsis 19, 177, 223, 345, 449, 483, 523
Arabidopsis cell suspension 553
Arabidopsis thaliana 39, 79, 115, 257
aspen 235, 495
aspergillus 61
avirulence gene 345

(1→4)-β-D-galactan 105
β-glucosyl Yariv reagent 165
bioluminescence 427
blue light 377
Bradyrhizobium japonicum 71
brassinolide 515

C4 plant 211
calcium influx 71
carbon dioxide labeling 39
carbon source 39
carotenoid synthesis 503
catalase 87
cell expansion 327, 377
cell wall 61, 277
cell wall polysaccharides 105
cellulose 327
cellulose synthase 495
CesA 495
chalcone synthase 1
chloroplast 97
choline oxidase 449
chromophore 391
cis-acting regulatory elements 471
cis-element 543
CMW 2b 51
codA gene 449
co-immunoprecipitation 345
cold acclimation 449
columella 483
co-suppression 51
cottonwood 235
cotyledon development 105
CPRF 1
cysteine 335
cytochrome P450-dependent monooxygenase 223

deadenylation 187
defense 61
dehydration 415
deoxyxylulose 503
diacylglycerol pyrophosphate 147
discontinuous single-electrode voltage-clamp 9
DNA binding 289
DNA-binding protein 1
DNA–protein interaction 543
DXS 503

eIF4G 187
embryo 401
epigenetics 51
epitope-tagging 553
$ERNA^{Leu}$ 439
ethylene-responsive element 29
ethylene-responsive element-binding factor 29
evolution 199, 211
expansin 327
expression 199
extracellular invertase 515
extracellular matrix 165

fatty acid synthesis 39
ferrochelatase 155
ferulate 5-hydroxylase 223
FLORICAULA 235
flowering 235
flowering time 391
freezing tolerance 449
FtsH 303
functional genomics 561
Fura-PE3 71
fusion proteins 125

gene activation 1
gene expression 289
gene regulation 87
gene repression 19
gene trap 561
gene-for-gene relationship 345
GFP 125
GFP 315
gibberellic acid 427
gibberellin biosynthesis 247
glutathione 335
glycinebetaine 449
glycosylation gradient 165
G-proteins 61
GST 461
GUS 561

H^+-ATPase pump 9
HC-Pro 51
HD2 19
HD-ZIP 401
heat stress transcription factor 355
heat-shock promoter 79
heat-shock tagging 79
histone deacetylase 19
homeo domain 401
HSP18.2 79

© 2000 Blackwell Science Ltd

hydrogen peroxide 87

immunoaffinity protein purification 553
in planta transformation 531
in situ 455
in vitro transcription 439
insertional mutagenesis 265, 531, 561
integument 483
ion channels 9
ipt gene 461
isoprenoid 415, 503

KNOX 455

leaf development 257
LEAFY 235
LHC proteins 155
light dependent 135
light regulation 177
lignin 223, 289
LIM domain 289
lipid signalling 147
Lycopersicon 515
Lycopersicon esculentum 265

maize 87, 211, 471
MAPK 367
marker-free 461
MAT-vector 461
meristem 455
metabolic engineering 155
metalloprotease 303
methyl jasmonate 415
microtubules 315
model legume 531
mucilage 483
mutants 177

NaTTS protein 165
nematode 455
Nod factor 9, 71
nuclear import 125
nuclear localization 135

orthophosphate dikinase 211
osmotic stress 147, 277
outer cell layer 401
oxidative burst 367
ozone 367

PABP 187
paclobutrazol 427
pathogen 523
pathogenesis-related protein 61
Peronospora parasitica 523
PHAN 455
phenylpropanoid 289
phosphatidic acid 147
phospholipase C 147
phospholipase D 147
photochrome 391
photomorphogenesis 177
photoperiod 247
photoperiodism 391
photoreceptor 177
photosynthesis 115
photosystem I 115
phyA 125
phytochrome 377
phytochrome B 135, 177
phytohormones 515
Pisum sativum L. 105
plant 61
plant cell wall 327
plant growth 257
plant–microbe interactions 531
plasma membrane proteins 277
plasmodesmata 315
plastid transformation 97
pollen tube elongation 165
poly (A) 199
poly (A) binding protein 199
polysomes 187
poplar 223
Populus 235, 495
potato 335
potyvirus 51
proline rich domain 1
proline-rich proteins 277
protoporphyrin IX 155
PsaE 115
Pseudomonas 345
PSY1 503
pyruvate 211

R gene 523
repressor 455
resistance gene 345
reverse genetics 97, 265
rice 211, 391, 561
RNA polymerase III 439
RNA trafficking 315
robosomal protein S13 257
root hairs 9
ROS 367
RT-PCR 79

salicylic acid 415, 523
secondary cell wall 495
seed 483
seed development 19
serine acetyltransferase 335
short-day plants 391
signal transduction 155, 377, 523
signalling 367
site-specific recombination 461
Solanum tuberosum 247
soybean 71
starch 483
stress response 355
stromal ridge 115
subcellular localization 553
sugar metabolism 515
sugar uptake 515
sulfur 335

T-DNA 561
T-DNA insertion 79

thylakoid membranes 303
tissue specific expression 471
TMV 315
tobacco 29, 97, 223, 367
tobacco nuclear extract 439
tomato 355, 503
transactivation 29
transcription factor 289
transcription re-initiation 439
transcriptional control 355
transcriptional repression 29
trans-factor 543
transformation 461
transgenic plants 125, 471
transgenic tobacco 135
transient expression 543
translation initiation 187
transmittal tissues 199
transposon tagging 115, 257
trichome development 257
tuber induction 247

vacuum infiltration 531
VAR2 303
variegation 303
verapamil 71

wounding 415

xylem 495
xyloglucan 327

ycf1 97
ycf2 97
yeast 29, 187

Zea mays 401

THE plant JOURNAL

VOLUME 22

Editors

Thomas Altmann
Dianna Bowles
Jeff Dangl
Jean Dénarié
Jérôme Giraudat
Harry Klee
Maarten Koornneef
Cathie Martin
Gregory Martin
Julian Schroeder
Kazuo Shinozaki
Mark Stitt

Published by Blackwell Science Ltd,
in association with the Society for Experimental Biology

© 2000 Blackwell Science Ltd and the Society for Experimental Biology. Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd and the Society for Experimental Biology for libraries and other users registered with the Copyright Clearance Centre (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Chief Editor.
0960-7412/00 $15.00.

Published by Blackwell Science Ltd, in association with the Society for Experimental Biology

Blackwell Science Ltd

Osney Mead, Oxford OX2 0EL, UK
25 John Street, London WC1N 2BL, UK
23 Ainslie Place, Edinburgh EH3 6AJ, UK

Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
Blackwell Science Asia, 54 University Street, Carlton South, Victoria 3053, Australia
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG-Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Cho-ku, Tokyo 103-0001, Japan
Blackwell Science Ltd, 10 rue Casimir Delavigne, 75006 Paris, France

ISSN 0960-7412

Typeset and printed by Information Press Ltd, Oxford, UK.

Contents

Number 1 April 2000

1 **Transactivation properties of parsley proline-rich bZIP transcription factors.** *M. Sprenger-Haussels and B. Weisshaar*

9 **Ion currents involved in early Nod factor response in *Medicago sativa* root hairs: a discontinuous single-electrode voltage-clamp study.** *A. Kurkdjian, F. Bouteau, A.-M. Pennarun, M. Convert, D. Cornel, J.-P. Rona and U. Bousquet*

19 **Functional analysis of HD2 histone deacetylase homologues in *Arabidopsis thaliana*.** *K. Wu, L. Tian, K. Malik, D. Brown and B. Miki*

29 **Three ethylene-responsive transcription factors in tobacco with distinct transactivation functions.** *M. Ohta, M. Ohme-Takagi and H. Shinshi*

39 **Understanding *in vivo* carbon precursor supply for fatty acid synthesis in leaf tissue.** *X. Bao, M. Focke, M. Pollard and J. Ohlrogge*

51 **Plant viral suppressors of post-transcriptional silencing do not suppress transcriptional silencing.** *R. Marathe, T.H. Smith, R. Anandalakshmi, L.H. Bowman, M. Fagard, P. Mourrain, H. Vaucheret and V.B. Vance*

61 **Heterotrimeric G-proteins of a filamentous fungus regulate cell wall composition and susceptibility to a plant PR-5 protein.** *M.A. Coca, B. Damsz, D.-J. Yun, P.M. Hasegawa, R.A. Bressan and M.L. Narasimhan*

71 SHORT COMMUNICATION
A lipochito-oligosaccharide, Nod factor, induces transient calcium influx in soybean suspension-cultured cells. *T. Yokoyama, N. Kobayashi, H. Kouchi, K. Minamisawa, H. Kaku and K. Tsuchiya*

79 TECHNICAL ADVANCE
Heat-shock tagging: a simple method for expression and isolation of plant genome DNA flanked by T-DNA insertions. *S. Matsuhara, F. Jingu, T. Takahashi and Y. Komeda*

Number 2 April 2000

87 ***Cis*-elements and *trans*-factors that regulate expression of the maize *Cat1* antioxidant gene in response to ABA and osmotic stress: H_2O_2 is the likely intermediary signaling molecule for the response.** *L.M. Guan, J. Zhao and J.G. Scandalios*

97 **The two largest chloroplast genome-encoded open reading frames of higher plants are essential genes.** *A. Drescher, S. Ruf, T. Calsa Jr, H. Carrer and R. Bock*

105 **Temporal and spatial regulation of pectic (1→4)-β-D-galactan in cell walls of developing pea cotyledons: implications for mechanical properties.** *L. McCartney, A.P. Ormerod, M.J. Gidley and J.P. Knox*

115 **Disruption of the *Arabidopsis* photosystem I gene *psaE1* affects photosynthesis and impairs growth.** *C. Varotto, P. Pesaresi, J. Meurer, R. Oelmüller, S. Steiner-Lange, F. Salamini and D. Leister*

125 **Light-induced nuclear import of phytochrome-A:GFP fusion proteins is differentially regulated in transgenic tobacco and *Arabidopsis*.** *L. Kim, S. Kircher, R. Toth, E. Adam, E. Schäfer and F. Nagy*

135 **Photocontrol of subcellular partitioning of phytochrome-B:GFP fusion protein in tobacco seedlings.** *P. Gil, S. Kircher, E. Adam, E. Bury, L. Kozma-Bognar, E. Schäfer and F. Nagy*

147 **Hyperosmotic stress stimulates phospholipase D activity and elevates the levels of phosphatidic acid and diacylglycerol pyrophosphate.** *T. Munnik, H.J.G. Meijer, B. ter Riet, H. Hirt, W. Frank, D. Bartels and A. Musgrave*

155 **Decreased and increased expression of the subunit CHL I diminishes Mg chelatase activity and reduces chlorophyll synthesis in transgenic tobacco plants.** *J. Pappenbrock, E. Pfündel, H.-P. Mock and B. Grimm*

165 **A pollen tube growth-promoting arabinogalactan protein from *Nicotiana alata* is similar to the tobacco TTS protein.** *H.-m. Wu, E. Wong, J. Ogdahl and A.Y. Cheung*

Number 3 May 2000

177 **A new type of mutation in the plant photoreceptor phytochrome B causes loss of photoreversibility and an extremely enhanced light sensitivity.** *T. Kretsch, C. Poppe and E. Schäfer*

187 ***Arabidopsis thaliana* poly (A) binding protein 2 (PAB2) functions in yeast translational and mRNA decay processes.** *R. Palanivelu, D.A. Belostotsky and R.B. Meagher*

199 **Conserved expression of *Arabidopsis thaliana* poly (A) binding protein 2 (PAB2) in distinct vegetative and reproductive tissues.** *R. Palanivelu, D.A. Belostotsky and R.B. Meagher*

211 **The evolution of C4 plants: acquisition of *cis*-regulatory sequences in the promoter of C4-type pyruvate, orthophosphate dikinase gene.** *M. Nomura, N. Sentoku, A. Nishimura, J.-H. Lin, C. Honda, M. Taniguchi, Y. Ishida, S. Ohta, T. Komari, M. Miyao-Tokutomi, Y. Kano-Murakami, S. Tajima, M.S.B. Ku and M. Matsuoka*

223 **Modified lignin in tobacco and poplar plants over-expressing the *Arabidopsis* gene encoding ferulate 5-hydroxylase.** *R. Franke, C.M. McMichael, K. Meyer, A.M. Shirley, J.C. Cusumano and C. Chapple*

235 **Diverse effects of overexpression of *LEAFY* and *PTLF*, a poplar (*Populus*) homolog of *LEAFY/FLORICAULA*, in transgenic poplar and *Arabidopsis*.** *W.H. Rottmann, R. Meilan, L.A. Sheppard, A.M. Brunner, J.S Skinner, C. Ma, S. Cheng, L. Jouanin, G. Pilate and S.H. Strauss*

247 **Changes in GA 20-oxidase gene expression strongly affect stem length, tuber induction and tuber yield of potato plants.** *E. Carrera, J. Bou, J.L. García-Martínez and S. Prat*

257 SHORT COMMUNICATION
Disruption of an *Arabidopsis* cytoplasmic ribosomal protein S13-homologous gene by transposon-mediated mutagenesis causes aberrant growth and development. *T. Ito, G.-T. Kim and K. Shinozaki*

265 TECHNICAL ADVANCE
A high throughput system for transposon tagging and promoter trapping in tomato. *R. Meissner, V. Chague, Q. Zhu, E. Emmanuel, Y. Elkind and A.A. Levy*

275 **Erratum concerning Volume 21, Number 1, January 2000, pages 1–8, Sonoda and Nishiguchi**

Number 4 May 2000

277 **Two bean cell wall proteins more abundant during water deficit are high in proline and interact with a plasma membrane protein.** *B.I. García-Gómez, F. Campos, M. Hernández and A.A. Covarrubias*

289 **Functional analysis of tobacco LIM protein Ntlim1 involved in lignin biosynthesis.** *A. Kawaoka, P. Kaothien, K. Yoshida, S. Endo, K. Yamada and H. Ebinuma*

303 **Mutations in the Arabidopsis *VAR2* locus cause leaf variegation due to the loss of a chloroplast FtsH protease.** *M. Chen, Y.D. Choi, D.F. Voytas and S. Rodermel*

315 **Cell-to-cell movement of TMV RNA is temperature-dependent and corresponds to the association of movement protein with microtubules.** *V. Boyko, J. Ferralli and M. Heinlein*

327 **Probing expansin action using cellulose/hemicellulose composites.** *S.E.C. Whitney, M.J. Gidley and S.J. McQueen-Mason*

335 **Expression of a bacterial serine acetyltransferase in transgenic potato plants leads to increased levels of cysteine and glutathione.** *K. Harms, P. von Ballmoos, C. Brunold, R. Höfgen and H. Hesse*

345 **A resistance gene product of the nucleotide binding site—leucine rich repeats class can form a complex with bacterial avirulence proteins *in vivo*.** *R.T. Leister and F. Katagiri*

355 **Isolation and characterization of HsfA3, a new heat stress transcription factor of *Lycopersicon peruvianum*.** *K. Bharti, E. Schmidt, R. Lyck, D. Heerklotz, D. Bublak and K.-D. Scharf*

367 **Ozone treatment rapidly activates MAP kinase signalling in plants.** *M.A. Samuel, G.P. Miles and B.E. Ellis*

Number 5 June 2000

377 **Modulation by phytochrome of the blue light-induced extracellular acidification by leaf epidermal cells of pea (*Pisum sativum* L.): a kinetic analysis.** *J.T.M. Elzenga, M. Staal and H.B.A. Prins*

391 **Phytochromes confer the photoperiodic control of flowering in rice (a short-day plant).** *T. Izawa, T. Oikawa, S. Tokutomi, K. Okuno and K. Shimamoto*

401 **Expression patterns of genes encoding HD-ZipIV homeo domain proteins define specific domains in maize embryos and meristems.** *G.-C. Ingram, C. Boisnard-Lorig, C. Dumas and P.-M. Rogowsky*

415 **Expression of *Brassica juncea* 3-hydroxy-3-methylglutaryl CoA synthase is developmentally regulated and stress-responsive.** *D. Alex, T.-J. Bach and M.-L. Chye*

427 **Fusion genetic analysis of gibberellin signaling mutants.** *D. Raventos, C. Meier, O. Mattsson, A.B. Jensen and J. Mundy*

439 **The TATA motif, the CAA motif and the poly(T) transcription termination motif are all important for transcription re-initiation on plant tRNA genes.** *Y. Yukawa, M. Sugita, N. Choisne, I. Small and M. Sugiura*

449 SHORT COMMUNICATION
Transformation of *Arabidopsis* with the *codA* gene for choline oxidase enhances freezing tolerance of plants. *A. Sakamoto, R. Valverde, Alia, T.H.H. Chen and N. Murata*

455 SHORT COMMUNICATION
Epistatic repression of *PHANTASTICA* and class 1 *KNOTTED* genes is uncoupled in tomato. *H. Koltai and D.M. Bird*

461 TECHNICAL ADVANCE
A transformation vector for the production of marker-free transgenic plants containing a single copy transgene at high frequency. *K. Sugita, T. Kasahara, E. Matsunaga and H. Ebinuma*

Number 6 June 2000

471 **Complex structure of a maize *Myb* gene promoter: functional analysis in transgenic plants.** *L.V. Sidorenko, X. Li, S.M. Cocciolone, S. Chopra, L. Tagliani, B. Bowen, M. Daniels and T. Peterson*

483 ***Arabidopsis* seed coat development: morphological differentiation of the outer integument.** *J.B. Windsor, V.V. Symonds, J. Mendenhall and A.M. Lloyd*

495 **A xylem-specific cellulose synthase gene from aspen (*Populus tremuloides*) is responsive to mechanical stress.** *L. Wu, C.P. Joshi and V.L. Chiang*

503 **Carotenoid biosynthesis during tomato fruit development: regulatory role of 1-deoxy-D-xylulose 5-phosphate synthase.** *L.M. Lois, M. Rodríguez-Concepción, F. Gallego, N. Campos and A. Boronat*

515 SHORT COMMUNICATION
Tissue-specific induction of the mRNA for an extracellular invertase isoenzyme of tomato by brassinosteroids suggests a role for steroid hormones in assimilate partitioning. *M. Goetz, D.E. Godt and T. Roitsch*

523 SHORT COMMUNICATION
Downy mildew (*Peronospora parasitica*) resistance genes in Arabidopsis vary in functional requirements for *NDR1, EDS1, NPR1* and salicylic acid accumulation. *J.M. McDowell, A. Cuzick, C. Can, J. Beynon, J.L. Dangl and E.B. Holub*

531 TECHNICAL ADVANCE
Transformation of *Medicago truncatula* via infiltration of seedlings or flowering plants with *Agrobacterium*. *A.T. Trieu, S.H. Burleigh, I.V. Kardailsky, I.E. Maldonado-Mendoza, W.K. Versaw, L.A. Blaylock, H. Shin, T.-J. Chiou, H. Katagi, G.R. Dewbre, D. Weigel and M.J. Harrison*

543 TECHNICAL ADVANCE
***In vivo* analysis of plant promoters and transcripton factors by agroinfiltration of tobacco leaves.** *Y. Yang, R. Li and M. Qi*

553 TECHNICAL ADVANCE
Intron-tagged epitope: a tool for facile detection and purification of proteins expressed in *Agrobacterium*-transformed plant cells. *A. Ferrando, R. Farràs, J. Jásik, J. Schell and C. Koncz*

561 TECHNICAL ADVANCE
T-DNA insertional mutagenesis for functional genomics in rice. *J.-S. Jeon, S. Lee, K.-H. Jung, S.-H. Jun, D.-H. Jeong, J. Lee, C. Kim, S. Jang, S. Lee, K. Yang, J. Nam, K. An, M.-J. Han, R.-J. Sung, H.-S. Choi, J.-H. Yu, J.-H. Choi, S.-Y. Cho, S.-S. Cha, S.-I. Kim and G. An*

571 **Author Index**

575 **Subject Index**